

# Brun-Tuff®

Industrial Fabrics

## VRP 1862 / MS 18 oz. 62"

- Conforms to Commercial Item A-A-55308 (Mil-C 43006 G)
- Ability to Comply with Berry Amendment


- Rot Resistant
- Tear Resistant
- High Tensile Strength
- Waterproof
- Flexible
- Flame Retardant



Black (805200)




Yellow (805100)




Red (805700)




Royal Blue (805800)



Forest Green (805300)




White (805900)




Grey (805400)



Navy (805500)



Olive Drab (805600)



Blue #35231 (805550)



**BRUIN PLASTICS  
COMPANY INC.**

PO Box 700, 61 Joslin Road, Glendale, RI 02826 USA  
(401) 568-3081 • Toll-Free (800) 556-7764 • Fax (401) 568-3081  
sales@bruinplastics.com • www.bruinplastics.com



# Brun-Tuff® Industrial Fabrics


## VRP 1862 / MS 18 oz. 62"

- Conforms to Commercial Item A-A-55308 (Mil-C 43006 G)
- Ability to Comply with Berry Amendment

### Product Characteristic Chart

Product Properties	Test Method	Type 1, Class 1 A-A-55308 Requirement	Results
Base Fabric			9 x 9.5 1300 D Poly
Weight	5041	17.1 - 19.8 oz./y <sup>2</sup>	18 oz./y <sup>2</sup> ± 1 oz.
Width			62"
Embossing			Taffeta
Put Up			50 yards / roll
Approx. Roll Weight			105 lbs
Tear Strength	5134 (warp x fill)	93 lbs. minimum	110 x 105 lbs
Tensile Strength	5100 (warp x fill)	295 lbs / in. minimum	325 x 315 lbs / in.
Adhesion	5970 (warp x fill)	25 lbs / 2 in. minimum	30 lbs / 2 in.
Flame Resistance	5903		
After Flame	seconds	5 seconds	2 x 2 seconds
Char Length	inches	4.5 inches	3.5 x 3.5 inches
Flame Resistance	NFPA 701 (s)		pass
Military Specification	A-A-55308 (Mil-C-43006 G) Type 1 Class 1		pass

Disclaimer: Above values are average values, as tested in our laboratory. All productions are subject to variations. This information is not intended to be used as strict specifications. All data obtained in our laboratory is considered accurate, however, no warranty is expressed or implied.



PO Box 700, 61 Joslin Road, Glendale, RI 02826 USA  
 (401) 568-3081 • Toll-Free (800) 556-7764 • Fax (401) 568-3081  
[sales@bruinplastics.com](mailto:sales@bruinplastics.com) • [www.bruinplastics.com](http://www.bruinplastics.com)